



Complete Line of Commercial Sprayers

2016-2017 Buyer's Guide



*100 Gallon Skid with 10 gpm Diaphragm Pump
KS100P7027*

About Kings Sprayers

Kings Sprayers has been building high quality commercial sprayers for more than 30 years. Based in Orlando, FL, every sprayer is built from the ground up, using only the best parts like Hypro® and Udor® pumps, Honda® engines and lightweight, rust-proof, aluminum frames. Durable and well-built, Kings Sprayers are made to last.

A Trusted Partnership

Kings Sprayers is committed to building a brand that is synonymous with quality. From the superior Customer Service Technicians to the elevated quality control standards, you can count on Kings Sprayers to stand behind their products for years to come.

Quality

- Kings Sprayers are made in the USA
- Built with high-quality, brand name components
- Reliable and efficient spraying solutions for the Lawn & Landscape, Pest Control, Agricultural, Golf & Recreation and Horticultural industries

Dependability

- Strong network of distributors, dealers and retail outlets
- 5/5/1 Warranty: 5 year-frame / 5 year-tank / 1 year-parts & labor (Limited to manufacturer defects)
- Manufacturer of professional spray equipment for more than 30 years
- Complete line of commercial sprayers and replacement parts

Service

- Knowledgeable and friendly Customer Service Technicians available to answer product questions
- Custom-built sprayers available
- Commitment to customer satisfaction




Model#
K4C100P70

Spot Sprayers

Great for:

- Weed control spot treatments
- Garden and backyard use



25 Gallon

Item Code	Description
K25	25 Gallon Standard Spot Sprayer
K25A	25 Gallon Spot Sprayer with Jet Agitation
KT25A	25 Gallon Trailer Sprayer with Jet Agitation
KT25AB4	25 Gallon Trailer Sprayer with 4' Boom
K4C25	25 Gallon 4 Wheel Spot Sprayer
K4C25A	25 Gallon 4 Wheel Spot Sprayer with Jet Agitation

35 Gallon

Item Code	Description
K35P	35 Gallon Standard Spot Sprayer
K35PA	35 Gallon Spot Sprayer with Jet Agitation
K35P150A	35 Gallon Skid Spot Sprayer with Jet Agitation and High Pressure Pump

Standard Features:

- Polyethylene Tank
- 12 Volt Diaphragm Pump
- 30' of 3/8" Clear PVC Reinforced Spray Hose
- 3/4" Tank Drain*
- 5" Fill Well w/Vented Lid
- 15" Trigger Jet Spray Gun
- Adjustable Spray Nozzle
- In-Line Suction Filter
- 5/5/1 Warranty: 5 year-frame /5 year-tank/ 1 year-parts & labor (Limited to manufacturer defects)

*On 25 Gallon Only

25 Gallon 2-Wheel Trailer with Boom
KT25AB4

Skid Sprayers


Great for:

- Tree Spraying
- Use in truck beds, utility vehicles, boats and trailers

High-pressure Spray Gun with quick disconnects (Shown with optional hose reel)

6061 aircraft grade aluminum frame is lightweight, chemical resistant and will never rust or need painting

5.5hp Honda® engine and Diaphragm Pump (10 gpm, 560 psi)



*200 Gallon Skid Sprayer with 10 gpm Diaphragm Pump and Optional Hose Reel
KS200P70*

Skid Sprayer Comparison Chart

50 Gallon

Item Code	Description
KS50P5*	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KS50P6	5.5hp Honda® engine, SilverCast 4 Roller Pump (7 gpm, 150 psi)
KSU50P6*	5.5hp Honda® engine, SilverCast 4 Roller Pump (7 gpm, 150 psi); Short Skid for Utility Vehicles, No Mount for Reel
KS50P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KS50P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KS50P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560psi)

100 Gallon

Item Code	Description
KS100P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KS100P6	5.5hp Honda® engine, SilverCast 4 Roller Pump (7 gpm, 150 psi)
KS100P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KS100P17*	5.5hp Honda® engine, Plunger Pump (3 gpm, 2500 psi), High-Pressure Washer
KS100P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KS100P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
KS100P7027*	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi), Manual Hose Reel with 150' of 3/8" ID Spray Hose

150 Gallon

Item Code	Description
KS150P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KS150P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
KS150P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

200 Gallon

Item Code	Description
KS200P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KS200P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
KS200P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

Standard Features:

- Polyethylene PCO Tanks
- All welded, 6061 aircraft grade aluminum frame
- 8" Fill-Well with Vented Lid (200 Gallon has 12" Fill-Well)
- Adjustable Pressure Regulator
- 50' of 3/8" High Pressure Sprayer Hose
- Professional Series Spray Gun w/ Quick Disconnects
- Hydraulic Jet Agitation
- Liquid Filled Pressure Gauges
- Chemical Resistant Hose & Plumbing
- Remote Mounted Suction Strainer with Shut Off Valve
- Fully Assembled & Factory Tested Honda Engines
- 5/5/1 Warranty: 5 year-frame / 5 year-tank / 1 year-parts & labor (Limited to manufacturer defects)

Options:


Item Code	Description
27	150' of 3/8" Hose with Manual Reel
27E	150' of 3/8" Hose with Electric Rewind Reel
38	300' of 3/8" Hose with Manual Reel
38E	300' of 3/8" Hose with Electric Rewind Reel
B12	12' Spray Boom
B12E	12' Spray Boom with Electric Valve
B18	18' Spray Boom
B18E	18' Spray Boom with Electric Valve

*This item is eligible for our Quickship Program: Item is guaranteed in-stock and ships same day.

3-Point Hitch Sprayers

Great for:

- Hitching to a tractor in order to spray large areas like golf courses, athletic fields and pastures and lawns



3-Point Hitch Sprayer Comparison Chart

50 Gallon

Item Code	Description
K3PTH50	8 Roller Pump (12 gpm, 300 psi)
K3PTH50BN22*	8 Roller Pump (12 gpm, 300 psi), Stainless Steel Boomless Nozzle with 22' Spray Pattern

100 Gallon

Item Code	Description
K3PTH100	8 Roller Pump (12 gpm, 300 psi)
K3PTH100B12*	8 Roller Pump (12 gpm, 300 psi), 12' Spray Boom
K3PTH10027*	8 Roller Pump (12 gpm, 300 psi), 150' of 3/8" Hose with Manual Reel

Standard Features:

- Polyethylene PCO Tanks
- All Welded Aluminum Frame
- 8" Fill-Well with Vented Lid
- Adjustable Pressure Regulator
- 50' of 3/8" High Pressure Sprayer Hose
- Professional Series Spray Gun w/ Quick Disconnects
- Hydraulic Jet Agitation
- Liquid Filled Pressure Gauges
- Chemical Resistant Hose & Plumbing
- Remote Mounted Suction Strainer with Shut Off Valve
- Fully Assembled & Factory Tested
- 5/5/1 Warranty: 5 year-frame/5 year-tank/ 1 year-parts & labor (Limited to manufacturer defects)

Options:

Item Code	Description
27	150' of 3/8" Hose with Manual Reel
27E	150' of 3/8" Hose with Electric Rewind Reel
38	300' of 3/8" Hose with Manual Reel
38E	300' of 3/8" Hose with Electric Rewind Reel
B12	12' Spray Boom
B12E	12' Spray Boom with Electric Valve
B18	18' Spray Boom
B18E	18' Spray Boom with Electric Valve
BN22	Stainless Steel Boomless Nozzle with 22' Spray Pattern

**This item is eligible for our Quickship Program: Item is guaranteed in-stock and ships same day.*

4-Wheel Sprayers

Great for:

- Easy maneuverability; ideal for use in tight areas due to pivoting front axle and T-handle
- Greenhouse, nursery and orchard use

Manual Hose Reel with 150' of 3/8" ID Spray Hose

Diaphragm Pump (10 gpm, 560 psi)

5.5hp Honda® engine

Unobstructed Ride Height: All components are mounted to the top of the main deck area to allow for easy movement over all terrains



6061 aircraft grade aluminum frame is lightweight, chemical resistant and will never rust or need painting

100 Gallon
4-Wheel Sprayer
with 10gpm Diaphragm
K4C100P7027

4-Wheel Sprayer Comparison Chart

50 Gallon

Item Code	Description
K4C50P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
K4C50P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C50P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C50P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)

100 Gallon

Item Code	Description
K4C100P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
K4C100P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C100P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C100P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
K4C100P7027*	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi), Manual Hose Reel with 150' of 3/8" ID Spray Hose

150 Gallon

Item Code	Description
K4C150P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
K4C150P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C150P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C150P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
K4C150P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

200 Gallon

Item Code	Description
K4C200P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
K4C200P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C200P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
K4C200P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
K4C200P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

Standard Features:

- Polyethylene PCO Tanks
- 6061 aircraft grade aluminum frame is lightweight, chemical resistant and will never rust or need painting
- 8" Fill-Well with Vented Lid (200 Gallon has 12" Fill-Well)
- Adjustable Pressure Regulator
- 50' of 3/8" High Pressure Sprayer Hose
- Professional Series Spray Gun w/ Quick Disconnects
- Hydraulic Jet Agitation
- Liquid Filled Pressure Gauges
- Chemical Resistant Hose & Plumbing
- Remote Mounted Suction Strainer with Shut Off Valve
- Fully Assembled & Factory Tested
- Honda Engines
- 16-6.50X8 Pneumatic Tires*
- 3/4" Stainless Steel Axle**
- 18-8.50X8 Pneumatic Tires mounted on a 4-Bolt Hub Assembly **
- 5/5/1 Warranty: 5 year-frame /5 year-tank/ 1 year-parts & labor (Limited to manufacturer defects)

*On 50 and 100 Gallon Only **On 150 and 200 Gallon Only

Options:


Item Code	Description
27	150' of 3/8" Hose with Manual Reel
27E	150' of 3/8" Hose with Electric Rewind Reel
38	300' of 3/8" Hose with Manual Reel
38E	300' of 3/8" Hose with Electric Rewind Reel
B12	12' Spray Boom
B12E	12' Spray Boom with Electric Valve
B18	18' Spray Boom
B18E	18' Spray Boom with Electric Valve
BN22	Stainless Steel Boomless Nozzle with 22' Spray Pattern

*This item is eligible for our Quickship Program: Item is guaranteed in-stock and ships same day.

2-Wheel Sprayers

Great for:

- Tree, shrub and turf spraying
- Pulling with a utility vehicle or compact trailer
- Lawns, pastures, golf courses, and athletic fields



2-Wheel Sprayer Comparison Chart

50 Gallon

Item Code	Description
KT50P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KT50P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KT50P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KT50P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)

100 Gallon

Item Code	Description
KT100P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KT100P15	5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KT100P15B12*	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi), 12' Spray Boom
KT100P20BN22*	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi), Stainless Steel Boomless Nozzle with 22' Spray Pattern
KT100P20	5.5hp Honda® engine, Diaphragm Pump (5 gpm, 275 psi)
KT100P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)

150 Gallon

Item Code	Description
KT150P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KT150P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
KT150P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

200 Gallon

Item Code	Description
KT200P5	5hp Honda® engine, 4 Roller Pump (7 gpm, 150 psi)
KT200P70	5.5hp Honda® engine, Diaphragm Pump (10 gpm, 560 psi)
KT200P90	9hp Honda® engine, Diaphragm Pump (15 gpm, 560 psi)

Standard Features:

- Polyethylene PCO Tanks
- 6061 aircraft grade aluminum frame is lightweight, chemical resistant and will never rust or need painting
- 8" Fill-Well with Vented Lid (200 Gallon has 12" Fill-Well)
- Adjustable Pressure Regulator
- 50' of 3/8" High Pressure Sprayer Hose
- Professional Series Spray Gun w/ Quick Disconnects
- Honda Engines
- Hydraulic Jet Agitation
- Liquid Filled Pressure Gauges
- Chemical Resistant Hose & Plumbing
- Remote Mounted Suction Strainer with Shut Off Valve
- Fully Assembled & Factory Tested
- 18-8.50X8 Pneumatic Tires mounted on a 4-Bolt Hub Assembly*
- ST175/85 D13 Pneumatic Tires**
- Custom Galvanized Steel Axle **
- 5/5/1 Warranty: 5 year-frame/5 year-tank/1 year-parts & labor (Limited to manufacturer defects)

*On 50 and 100 Gallon Only **On 150 and 200 Gallon Only

Options:

Item Code	Description
27	150' of 3/8" Hose with Manual Reel
27E	150' of 3/8" Hose with Electric Rewind Reel
38	300' of 3/8" Hose with Manual Reel
38E	300' of 3/8" Hose with Electric Rewind Reel
B12	12' Spray Boom
B12E	12' Spray Boom with Electric Valve
B18	18' Spray Boom
B18E	18' Spray Boom with Electric Valve
BN22	Stainless Steel Boomless Nozzle with 22' Spray Pattern

*This item is eligible for our Quickship Program: Item is guaranteed in-stock and ships same day.

Authorized Dealer:

Kings[®] Sprayers

www.KingsSprayers.com

100 Gallon 3-Point Hitch Sprayer

200 Gallon Skid Sprayer

4-Wheel Sprayer

25 Gallon 2-Wheel Trailer

100 Gallon 2-Wheel Sprayer

